

2-4 HORSEPOWER

Non-Thru Hub Exhaust

2, 3.3 HP2000 & Newer 3-4 HP1952-73

● Hub is not included with propeller.

 ALUMINUM & STAINLESS STEEL PROPS						
Dia.	Rot.	Pitch	Bld#	Mat'l	OEM Part No.	Part No.
6-1/8	L	4-1/2	3	AL	203919	● 012001



012001

No Hub


See ●

5 HORSEPOWER

Non-Thru Hub Exhaust & Pin Drive

5 HP1965-68

● Hub is not included with propeller.

 ALUMINUM & STAINLESS STEEL PROPS						
Dia.	Rot.	Pitch	Bld#	Mat'l	OEM Part No.	Part No.
8	L	7-1/2	3	AL	380104	● 012004



012004

No Hub


See ●

5.5-6 HORSEPOWER

Non-Thru Hub Exhaust & Pin Drive

5.5-6 HP1954-65

● Hub is not included with propeller.

 ALUMINUM & STAINLESS STEEL PROPS						
Dia.	Rot.	Pitch	Bld#	Mat'l	OEM Part No.	Part No.
7-3/4	R	6-1/2	3	AL		● 012067
8	R	7-1/4	2	AL	376968	● 012060



012067


No Hub

See ●

4-8 HORSEPOWER

Non-Thru Exhaust & Pin Drive

4 HP1980-83 4.5 HP Deluxe1986-95 6, 7.5, 8 HP1980 & Newer

 ALUMINUM & STAINLESS STEEL PROPS						
Dia.	Rot.	Pitch	Bld#	Mat'l	OEM Part No.	Part No.
8-1/2	R	7	3	AL	391096	▶ 012031
8-1/2	R	9	3	AL	390237	012032




012032

Rubber
Hub
Bushing

10 HORSEPOWER

Non-Thru Hub Exhaust & 13 Tooth Spline

10 HP1951-57

 ALUMINUM & STAINLESS STEEL PROPS						
Dia.	Rot.	Pitch	Bld#	Mat'l	OEM Part No.	Part No.
9	R	8	3	AL	277595	012006



012006

Rubber
Hub
Bushing

● Hub is not included with propeller. ▶ LIMITED INVENTORY ITEMS.

6-15 HORSEPOWER

Non-Thru Hub Exhaust & Pin Drive

6 HP1966-79 10 HP1958-63 8-15 HP2000 & Newer
 9.5 HP1964-73 10, 12, 14 HP ***1982-94



ALUMINUM & STAINLESS STEEL PROPS

Dia.	Rot.	Pitch	Bld#	Mat'l	OEM Part No.	Part No.
7-3/4	R	6-1/2	3	AL		012068
8-1/4	R	8	3	AL	387334	012008
8-1/4	R	9	3	AL	391534	012101
8	R	7-1/4	2	AL	376968	012005
8-1/4	R	8-1/2	3	AL	377635	012007



Rubber
Hub
Bushing

9.9-15 HORSEPOWER

Thru Hub Exhaust & 13 Tooth Spline

9.9-15 HP1974 & Newer 8, 9.9, 15 HP (4-Stroke)1995 & Newer



ALUMINUM & STAINLESS STEEL PROPS

Dia.	Rot.	Pitch	Bld#	Mat'l	OEM Part No.	Part No.
10	R	5	3	AL	386669	012113
10	R	7	3	AL	398126	012112
9-1/2	R	10	3	AL	174950	012111



Rubber
Hub
Bushing

15-25 HORSEPOWER

Non-Thru Hub Exhaust & Pin Drive

15 HP1953-56 20 HP1969-73 25 HP1969-77
 18 HP1957-73



ALUMINUM & STAINLESS STEEL PROPS

Dia.	Rot.	Pitch	Bld#	Mat'l	OEM Part No.	Part No.
9-1/4	R	7	3	AL	388294	012102
9	R	8	3	AL		012014
9	R	9	3	AL	379717	012109
9	R	10	3	AL	592959	012076
9	R	10	3	AL	383629	012011
9-1/4	R	11	3	AL	388088	012013
9-1/4	R	12	3	AL		012010



Rubber
Hub
Bushing

14-28 HORSEPOWER

Non-Thru Hub Exhaust & 13 Tooth Spline

14 HP1989 25 HP §1978-91 28 HP1986-96
 25 HP1978-84



ALUMINUM & STAINLESS STEEL PROPS

Dia.	Rot.	Pitch	Bld#	Mat'l	OEM Part No.	Part No.
9	R	9	3	AL	389068	012021
9	R	9	3	AL		▶★ 011030
9	R	10	3	AL	389069	012015
9	R	10	3	AL		▶★ 011031
9-1/4	R	11	3	AL	388883	012016
9-1/4	R	12	3	AL	389944	012030



Rubber
Hub
Bushing

★ Indicates a cupped propeller.
 ▶ LIMITED INVENTORY ITEMS.

*** Engines offered in European Market only.

§ Commercial & Workhorse Applications.

25-30 HORSEPOWER (4-STROKE)

Thru Hub Exhaust & 10 Tooth Spline

25 HP (4-Stroke)2004 & Newer 30 HP (4-Stroke)2004 & Newer

VORTEX^{XHS™}			
3-BLADE			
Dia.	Rot.	Pitch	Part No.
10-1/2	R	9	992501
10-1/2	R	10	992502
10-1/2	R	11	992503
10-1/8	R	12	992504
10-1/8	R	13	992505
10-1/8	R	14	992506



992504
Vortex XHS™
Aluminum Propeller

Drop-In Hub

Use XHS™
Hub Kit
121

Refer to pages 42-43
for more details.

MICHIGAN MATCH[™] REPLACEMENT PROPELLERS						
ALUMINUM & STAINLESS STEEL PROPS						
Dia.	Rot.	Pitch	Bld#	Mat'l	OEM Part No.	Part No.
10-1/4	R	11	3	AL	58100-96420-019	062012
10-1/4	R	11	3	AL		▶★ 061006
10-1/4	R	12	3	AL	58100-96430-019	062013
10-1/4	R	13	3	AL	58100-96440-019	062014



062013

BALLISTIC[™] STAINLESS STEEL PROPS				
Dia.	Rot.	Pitch	Bld#	Part No.
10-1/8	R	13	3	305529
10-1/8	R	15	3	305530

**Rubber
Hub
Bushing**

20-35 HORSEPOWER

Thru Hub Exhaust & 14 Tooth Spline

20 HP 2 Cyl.1984-97 25 HP 2 & 3 Cyl.1984 & Newer *35 HP 2 & 3 Cyl.1976 & Newer
25 HP (Commercial)1993 & Newer 30 HP 2 Cyl.1984 & Newer * Vortex prop may interfere with skeg on some models.

VORTEX^{XHS™}			
3-BLADE			
Dia.	Rot.	Pitch	Part No.
10-1/2	R	9	992501
10-1/2	R	10	992502
10-1/2	R	11	992503
10-1/8	R	12	992504
10-1/8	R	13	992505
10-1/8	R	14	992506



992504
Vortex XHS™
Aluminum Propeller

Drop-In Hub

Use XHS™
Hub Kit
118

Refer to pages 42-43
for more details.

MICHIGAN MATCH[™] REPLACEMENT PROPELLERS						
ALUMINUM & STAINLESS STEEL PROPS						
Dia.	Rot.	Pitch	Bld#	Mat'l	OEM Part No.	Part No.
11-1/4	R	7	3	AL	387320	▶ 012053
11-1/4	R	7	3	AL		▶★ 011032
11	R	9	3	AL	386317	012054
11	R	9	3	AL		▶★ 011033
10-1/2	R	11	3	AL	175190	012055
10	R	13	3	AL	175191	012056
10	R	15	3	AL	390380	012057



012056

BALLISTIC[™] STAINLESS STEEL PROPS				
Dia.	Rot.	Pitch	Bld#	Part No.
10-1/8	R	13	3	305029
10-1/8	R	15	3	305030

**Rubber
Hub
Bushing**

★ Indicates a cupped propeller.

▶ LIMITED INVENTORY ITEMS.

25-40 HORSEPOWER
Non-Thru Hub Exhaust & Pin Drive

25 HP1951-55	33 HP1965-70	40 HP1960-76
28 HP1962-64	35 HP1957-59	40 HP §1978-85
30 HP1956		

MICHIGAN MATCH REPLACEMENT PROPELLERS						
ALUMINUM & STAINLESS STEEL PROPS						
Dia.	Rot.	Pitch	Bld#	Mat'l	OEM Part No.	Part No.
10-1/2	R	10	3	AL	376738	012027
10-3/8	R	11-1/2	3	AL	385955	012023
10-3/8	R	12-1/2	3	AL	378580	012022
10-1/2	R	12	3	AL	380637	012024
10-3/8	R	13-1/2	3	AL	378579	012025
10-1/2	R	13	3	AL	384460	012028
10-3/8	R	14	3	AL	378571	012026



012028

Rubber
Hub
Bushing

40-50 HORSEPOWER (4-STROKE)
Thru Hub Exhaust & 13 Tooth Spline

40 HP (4-Stroke)1999 & Newer	50 HP (4-Stroke)1999 & Newer
------------------------------------	------------------------------------


VORTEX ^{XHS} HIGH PERFORMANCE ALUMINUM PROPELLERS			
3-BLADE		4-BLADE	
Dia.	Rot.	Pitch	Part No.
		12	R 8 992401
		12	R 9 992402
		12	R 10 992403
10-3/8	R	11	992404
10-3/8	R	12	992405
10-3/8	R	13	992406
10-3/8	R	14	992407
10	R	15	992408
10	R	16	992409



992406

XHS Aluminum

NEW APOLLO ^{XHS} ULTIMATE PERFORMANCE STAINLESS STEEL PROPELLERS			
STD 3-BLADE			
Dia.	Rot.	Pitch	Part No.
10-3/4	R	12	993405
10-1/2	R	13	993406
10-3/8	R	14	993407
10-1/8	R	15	993408



NEW Apollo XHS
Stainless Steel

Drop-In Hub


Use XHS™
Hub Kit
115

Refer to pages 42-43
for more details.

MICHIGAN MATCH REPLACEMENT PROPELLERS						
ALUMINUM & STAINLESS STEEL PROPS						
Dia.	Rot.	Pitch	Bld#	Mat'l	OEM Part No.	Part No.
12-1/4	R	10	3	AL		032045
12-1/4	R	10	3	AL		▶★ 031072
12	R	11	3	AL		032044
12	R	11	3	AL		▶★ 031073
11-3/4	R	12	3	AL		032043
11-1/2	R	13	3	AL		032042
11-1/4	R	14	3	AL		032041
11	R	15	3	AL		032040
10-3/4	R	16	3	AL		032039

RAPTURE			
3-BLD STAINLESS STEEL			
Dia.	Rot.	Pitch	Part No.
10-1/2	R	10	033093
10-1/2	R	12	033094
10-1/2	R	13	033095
10-1/2	R	14	033096
10-1/2	R	15	033097

BALLISTIC [™] STAINLESS STEEL PROPS				
Dia.	Rot.	Pitch	Bld#	Part No.
10-1/8	R	13	3	395929
10-1/8	R	15	3	395930



032042

Rubber
Hub
Bushing

§ Commercial & Workhorse Applications. ★ Indicates a cupped propeller. ▶ LIMITED INVENTORY ITEMS.

40-75 HORSEPOWER • SMALL GEARCASE

Thru Hub Exhaust & 13 Tooth Spline

40 HP 2 Cyl.1984 & Newer
 48 HP1987-96
 50 HP 2 Cyl.1975 & Newer

60 HP 2 Cyl.1980-85
 75 HP 3 Cyl.1975-85

Sprint1986-92
 Formula E1986-92

3-BLADE				4-BLADE			
Dia.	Rot.	Pitch	Part No.	Dia.	Rot.	Pitch	Part No.
				12	R	8	992401
				12	R	9	992402
				12	R	10	992403
11-3/4	R	13	992301				
11-3/4	R	15	992302				
11-3/4	R	17	992303				



HIGH PERFORMANCE ALUMINUM PROPELLERS



992301

Vortex XHS™ Aluminum Propeller



992402

Vortex XHS™ Aluminum Propeller

Drop-In Hub

Use XHS™ Hub Kit 111

Refer to pages 42-43 for more details.

ALUMINUM & STAINLESS STEEL PROPS						
Dia.	Rot.	Pitch	Bld#	Mat'l	OEM Part No.	Part No.
13	R	11	3	AL	386907	012036
13	R	11	3	AL		★ 011034
12-1/2	R	13	3	AL	386909	012037
12-1/2	R	13	3	AL		★ 011035
12-1/2	R	13	3	SS	390849	▶ 013024
12-1/4	R	15	3	AL	386786	▶ 012038
12-1/4	R	15	3	AL	176421	★ 011027
12-1/4	R	15	3	SS	390850	▶ 013010
11-3/4	R	17	3	AL	386841	▶ 012039
11-3/4	R	17	3	AL	176422	★ 011028
11-3/4	R	17	3	SS	390851	▶ 013026
11	R	19	3	AL	176423	★ 011029
11-1/4	R	19	3	SS	390852	▶ 013032
11-1/2	R	19	3	AL	386908	▶ 012040



011027



Rapture Stainless Steel



BALLISTIC				
Dia.	Rot.	Pitch	Bld#	Part No.
12-3/8	R	15	3	325030
12	R	17	3	325031

Rubber Hub Bushing

★ Indicates a cupped propeller.

▶ LIMITED INVENTORY ITEMS.



45-75 HORSEPOWER • LARGE GEARCASE

Thru Hub Exhaust & 13 Tooth Spline

40 HP (E-TEC)2004 & Newer
 45 HP 2 Cyl. Commercial1986 & Newer
 50 HP (E-TEC)2004 & Newer
 50 HP 2 Cyl. Commercial1977-79
 55 HP 2 Cyl. Commercial1980 & Newer
 65 HP 3 Cyl. Commercial1984 & Newer

50 HP 2 Cyl. Pleasure1971-74
 50 HP 3 Cyl. Pleasure1994 & Newer
 55 HP 3 Cyl. Pleasure1968-69
 60 HP 3 Cyl. Pleasure1970-71,1986 & Newer
 60 HP (E-TEC)2004 & Newer
 65 HP 3 Cyl. Pleasure1972-73

70 HP 3 Cyl. Pleasure1974 & Newer
 75 HP 3 Cyl. Pleasure1975-84
 75 HP (E-TEC)2004 & Newer
 60 HP (4-Stroke) +1998 & Newer
 70 HP (4-Stroke) +1998 & Newer

3-BLADE			
Dia.	Rot.	Pitch	Part No.
13-3/4	R	15	992103
13-1/4	R	17	992104
13	R	19	992105
12-3/4	R	21	992106



Vortex XHS™ Aluminum Propeller

3-BLADE				STD 3-BLADE			
Dia.	Rot.	Pitch	Part No.	Dia.	Rot.	Pitch	Part No.
				13-3/8	R	15	993143
				13-3/8	L	15	993153
				13-1/4	R	17	993144
				13-1/4	L	17	993154
				13-1/4	R	19	▶ 993105
				13-1/8	R	19	993145
				13-1/8	L	19	993155
				13-1/4	R	21	▶ 993106
				13	R	21	993146
				13	L	21	993156




NEW Apollo XHS Stainless Steel

Drop-In Hub
 Use XHS™ Hub Kit **106 & 110**

Note: For 60 HP & 70 HP 4-Stroke engine applications, 1998 & Newer, use XHS (Drop-In Hub) Kit # 110. For all other engine applications, use XHS™ (Drop-In Hub) Kit # 106 (do not use Gearcase Adapter Ring supplied with propeller).

Refer to pages 42-43 for more details.

MICHIGAN MATCH						
ALUMINUM & STAINLESS STEEL PROPS						
Dia.	Rot.	Pitch	Bld#	Mat'l	OEM Part No.	Part No.
14	R	10	4	AL		012074
14	R	10	4	AL		▶★ 011036
14	R	11	3	AL	382761	012047
14	R	11	3	AL		▶★ 011038
14	R	12	4	AL		012075
14	R	13	3	AL	391668	* 011001
13-3/4	R	15	3	AL	391198	* 011002
13-3/4	R	15	3	SS	389949	▶ 013028
13-1/4	R	17	3	AL	391199	* 011003
13-3/8	R	17	3	SS	389948	▶ 013030
14	R	17	3	AL	176214	* 011024
13	R	19	3	AL	390896	* 011004
13	R	19	3	SS	389510	▶ 013033
14	R	19	3	AL	176215	* 011025
12-3/4	R	21	3	AL	389788	* 011005
12-3/4	R	21	3	SS	389512	▶ 013034
14	R	21	3	AL	176216	* 011026



Ballistic™ High Performance Stainless Steel Propeller

BALLISTIC			
Dia.	Rot.	Pitch	Part No.
13-5/8	R	15	335030
12-1/2	R	17	335031
13-3/8	R	19	335032
13-1/8	R	21	335033

Rubber Hub Bushing

60-90 HORSEPOWER

Non-Thru Hub Exhaust & Pin Drive

V-4 HP 60, 65, 75, 80, 85, 901960-68

MICHIGAN MATCH						
ALUMINUM & STAINLESS STEEL PROPS						
Dia.	Rot.	Pitch	Bld#	Mat'l	OEM Part No.	Part No.
10-1/8	R	11	3	AL	377978	▶ 012044
10	R	12	3	AL	378039	▶ 012045






012043

Rubber Hub Bushing




★ Indicates a cupped propeller. ▶ LIMITED INVENTORY ITEMS
 * If currently using uncupped propeller, use cupped propeller having 2" less pitch. Boats with power trim use same pitch.

90, 115 & 140 HORSEPOWER (4-STROKE)

90 HP (4-Stroke)2003 & Newer 115 HP (4-Stroke)2003 & Newer 140 HP (4-Stroke)2003 & Newer

 HIGH PERFORMANCE ALUMINUM PROPELLERS				ULTIMATE PERFORMANCE STAINLESS STEEL PROPELLERS	Drop-In Hub Use XHS™ Hub Kit 125 & 126 Use Gearcase Adapter Ring supplied with propeller. Refer to pages 42-43 for more details.
3-BLADE Dia. Rot. Pitch Part No. 13-3/4 R 15 992103 13-1/4 R 17 992104 13 R 19 992105 12-3/4 R 21 992106		3-BLADE Dia. Rot. Pitch Part No. 13-3/8 R 15 993143 13-3/8 L 15 993153 13-1/4 R 17 993144 13-1/4 L 17 993154 13-1/8 R 19 993145 13-1/8 L 19 993155 13-1/4 R 21 993106 13 L 21 993156		STD 3-BLADE Dia. Rot. Pitch Part No. 13-3/8 R 15 993143 13-3/8 L 15 993153 13-1/4 R 17 993144 13-1/4 L 17 993154 13-1/8 R 19 993145 13-1/8 L 19 993155 13 R 21 993146 13 L 21 993156	

Note: For 90 & 115 HP 4-Stroke applications use XHS™ (Drop-in Hub) Kit # 125. For 140 HP 4-Stroke applications use XHS™ (Drop-in Hub) Kit # 126. Use Gearcase Adapter Ring supplied with propeller.

 ALUMINUM & STAINLESS STEEL PROPS							 101033	 BALLISTIC					BALLISTIC XL					Rubber Hub Bushing								
Dia.	Rot.	Pitch	Bld#	Mat'l	OEM Part No.	Part No.		Dia.	Rot.	Pitch	Bld#	Part No.	Dia.	Rot.	Pitch	Bld#	Part No.									
14	R	11	3	AL		101036																				
13-5/8	R	13	3	AL		101031																				
13-1/2	R	15	3	AL		101032																				
13-3/4	R	15	3	SS		103025						13-5/8	R	15	3	335930										
13-1/4	R	17	3	AL	58100-90J00-019	101033											13-1/2	R	17	3	335931					
13-1/4	R	17	3	SS		103026																				
13	R	19	3	AL	58100-90J10-019	101034											13-3/8	R	19	3	335932					
13	R	19	3	SS		103027																				
12-5/8	R	21	3	AL	58100-90J20-019	101035						13-1/8	R	21	3	335933	13-1/2	R	22	3	335934					
																	13-1/2	R	24	3	335935					

▶ LIMITED INVENTORY ITEMS



90-300 HORSEPOWER • V-6 GEARCASE (1991 & NEWER)

Thru Hub Exhaust & 15 Tooth Spline

90 HP1995 & Newer	150 HP Commercial1993 & Newer	235 HP1978-85
90 HP (E-TEC) Extra Long2004 & Newer	150 HP1978 & Newer	250 HP1991 & Newer
100 HP Commercial1984 & Newer	155 HP Commercial1978 & Newer	275 HP1986-88
115 HP1995 & Newer	175 HP1977 & Newer	300 HP1986-95
120-140 HP1985	185 HP1984-85	2.6 Liter1984-85
130 HP1995 & Newer	200 HP1976 & Newer	3.6 Liter1986-87
140 (25") HP1989-94	225 HP1986 & Newer	* For engines 300 HP or higher, use "high horsepower sleeve".


See Page 42 for more details.

VORTEX ^{XHS} HIGH PERFORMANCE ALUMINUM PROPELLERS				CAPTURE ^{XHS}				APOLLO ^{LOW} ULTIMATE PERFORMANCE STAINLESS STEEL PROPELLERS																							
3-BLADE				4-BLADE				3-BLADE				STD 3-BLADE				LG. DIAMETER 3-BLADE				4-BLADE											
Dia.	Rot.	Pitch	Part No.	Dia.	Rot.	Pitch	Part No.	Dia.	Rot.	Pitch	Part No.	Dia.	Rot.	Pitch	Part No.	Dia.	Rot.	Pitch	Part No.	Dia.	Rot.	Pitch	Part No.	Dia.	Rot.	Pitch	Part No.				
15-1/4	R	15	992002					14-1/4	R	15	993002	14-3/8	R	15	993042	15-3/4	R	15	993022												
								14-1/4	L	15	993012	14-3/8	L	15	993052	15-3/4	L	15	993032												
15	R	17	992003	15	R	16	992202	14-1/4	R	17	993003	14-1/4	R	17	993043	15-1/2	R	17	993023	14-5/8	R	16	993203								
								14-1/4	L	17	993013	14-1/4	L	17	993053	15-1/2	L	17	993033	14-5/8	L	16	993213								
14-1/2	R	19	992004	14-1/2	R	18	992203	14-1/4	R	19	993004	14-1/8	R	19	993044	15-1/4	R	19	993024	14-3/8	R	18	993204								
								14-1/4	L	19	993014	14-1/8	L	19	993054	15-1/4	L	19	993034	14-3/8	L	18	993214								
14-1/4	R	21	992005	14	R	20	992204	14-1/4	R	21	993005	14	R	21	993045	14-3/4	R	21	993025	14-1/8	R	20	993205								
								14-1/4	L	21	993015	14	L	21	993055	14-3/4	L	21	993035	14-1/8	L	20	993215								
14	R	23	992006					14-1/4	R	23	993006	13-7/8	R	23	993046	14-5/8	R	23	993026	14	R	22	993206								
								14-1/4	L	23	993016	13-7/8	L	23	993056	14-5/8	L	23	993036	14	R	22	993216								
								14-1/4	R	25	993007																				
								14-1/4	L	25	993017																				

Drop-In Hub
Use XHS™ Hub Kit **100 & 101**
Refer to pages 42-43 for more details.

Note: For engine applications 1976-1990 use XHS™ (Drop-In Hub) Kit # 101. For engine applications 1991 & Newer, use XHS™ (Drop-In Hub) Kit # 100. Refer to pages 42-43 for more details.

MICHIGAN MATCH REPLACEMENT PROPELLERS						
ALUMINUM & STAINLESS STEEL PROPS						
Dia.	Rot.	Pitch	Bld#	Mat'l	OEM Part No.	Part No.
15-1/2	R	10	3	AL		011015
15-1/2	R	13	3	AL	391536	011016
15-1/2	R	15	3	AL	391535	011006
15	L	15	3	SS	174927	013051
15	R	17	3	AL	391200	011007
15	R	17	3	SS	391290	013044
14-1/2	R	19	3	AL	391201	011008
14-1/2	L	19	3	SS	390821	013045
14-1/4	R	21	3	AL	391202	011009
14-1/4	L	21	3	SS	390822	013047
14-1/4	R	23	3	AL	391203	011010
14-1/4	R	23	3	SS	389019	013050
High Performance 4-Blade Propellers						
13-3/4	R	22	4	SS		013036
13-3/4	R	24	4	SS		013038



BALLISTIC™ STAINLESS STEEL PROPS									
BALLISTIC				BALLISTIC XL					
Dia.	Rot.	Pitch	Bld#	Part No.	Dia.	Rot.	Pitch	Bld#	Part No.
14-7/8	R	15	3	345031					
14-3/4	R	17	3	345032					
14-3/4	L	17	3	345062					
14-1/2	R	19	3	345033					
14-1/2	L	19	3	345063					
14-3/8	R	21	3	345034	14-1/2	R	22	3	345041
14-3/8	L	21	3	345064					
14-1/4	R	23	3	345035	14-1/2	R	24	3	345037
					14-1/2	R	26	3	345038
					13-3/4	R	23	4	**435035
					13-3/4	R	25	4	**435036
					13-3/4	R	27	4	**435037

Rubber Hub Bushing

¶ 2-1/2" of skeg must be removed for proper fit. Use thrust washer 33359. ▶ LIMITED INVENTORY ITEMS.
** Forward thrust washer A-9500-111 comes with propeller and replaces the standard OMC thrust washer, except when used on a 1991 or 1992.